SANDVIK Coromant

CoroPlus® Tool Supply

Autocrib offer and ordering information



Sandvik Coromant AB, authorized distributor for:

AUTOCRIB

Take control of tool inventory – and cost

Users of CoroPlus® Tool Supply can organize their equipment and improve their inventory management.

The ShopFloorInterface Software enables operators to pick and return tools, manage restocking and maintain inventory using the same solution.

The usage of the tools on the shop floor feeds data to the management and administration part of the system, allowing tracking of cost, and management of purchasing.

CoroPlus® Tool Supply connects with multiple supplier's tool catalogues which includes more than one million items and allows importing of relevant tool data, including ISO parameters, bill of material and spare parts.

- Secure availability and workshop productivity
- Gain full control of your tool inventory
- Create reports to track assets, consumption, and cost to build insights of your inventory
- Streamline and automate your tool purchasing process
- Get started fast, with an intuitive and user-centric interface
- Start journey of digitalization and be prepared for the future
- Easy to use Key-Reader for quick user authentication and login process
- Integrated barcode-scanner for comfortable item search and identification



Fitted to your needs

Our tool logistics software and hardware will provide a tailor-made solution to meet your needs for control. We offer vending solutions ranging from open stock, to controlled devices.




Open stock

Without access control



Cabinet

One tool at a time, for full control



ROBOCRIB TX 750 is our Premium vending cabinet because it is a highly customizable and cost-effective solution with the possibility to organize 100% secure access up to 987 SKUs (stock keeping unit). A highly flexible ability to arrange/rearrange stock locations and also has an average access speed of 10sec. Max.

This machine with total access control can easily be reconfigured at the customer's site as needs change.

Configurations:

Up to 987 SKUs at 50 mm (2") height


Dimensions:

W: 866 mm (34.1")

H: 2017 mm (79.4")

D: 1052 mm (41.4")

Weight capacity: 544 kg (1200 lbs)



ROBOCRIB VX500 is a high density, flexible and fast industrial vending solution. The variety of available bin sizes makes managing both small and large items a possibility. Dispense time for any item is less than 10 seconds.

Configurations:

Standard configuration of 422 SKUs

Dimensions:

W: 860 mm (34")


H: 1930 mm (76")


D: 990 mm (39")

Weight capacity: 272 kg (600 lbs)


Shelf height: 100 mm (4")








TX750 M/E




Specifications

- Patented plastic trays for easy reconfiguration of shelves
- High-resolution 480 mm (19") Industrial touch-screen
- Onboard PC: Intel core i5 processor
- Built-in slots for forklift (optional: Heavy duty swivel caster wheels)
- Power: 100-240 VAC - 50/60 HZ, 5A/2.5A MAX UPS battery backup only available in the Americas.
- Optional integrated RFID Reader for TX750 Main
- Integrated customizable barcode scanner for TX750 Main
- 12-month warranty



TX750 Main



TX750 Extension


Part number	Description
HVL1-Autocrib-MP00-**	Robocrib TX 750 Main Unit *
HVL1-Autocrib-EP00-**	Robocrib TX 750 Extension Unit ***

* A main device may be able to connect and control other vending hardware devices on the market. For more information about compatibility of our hardwares, contact your local Sandvik Coromant representative.

** Complete Part Number varies by market.


*** TX750 Extension is the same unit as TX750 Main without touch screen for a side by side installation and is operated by the main unit.

TX750 M/E




Device features

- Sturdy steel construction and powder coated
- 24-7 availability with accountability
- No repackaging required
- Quickly configure on-site
- Dispense square or rectangular boxes or packages
- No bulk stocking required. Use 100% of the machine's space! Stock as many or as few SKUs as you want
- Issue delicate items without dropping
- Fast issue time, 10 seconds or less
- User Access: Proximity cards, key fobs, mag-stripe cards, barcodes, keypad/PINs. You can use your existing employee badges
- Optional: Caster wheels that make it easy to relocate your machines where you want them
- Optional: additional shelf inserts, shelf retainers and bin cups can be ordered to facilitate specific storage needs




Stock location type *	No. of max. locations (for 2" bin size)
A	180
B	267
C	360
D	180
Total	**987**

* For all types there are bin cups available which can be ordered separately




A single SKU height can be reconfigured individuell from 50mm (2") to max. 1524mm (60")

TX750 M/E accessories



TX750 Shelves


Part number	Item	Description	Retainer only	Qty-parent	Qty-max	To order max
376-805-B	1	Shelf Insert, Large Rectangle-Plastic, Rev B(0.050" Shorter)		100	180	80
376-805-2	2	Retainer, Rectangle-Plastic	30			
376-806	3	Shelf Insert, Small Rectangle-Plastic		200	270	70
376-807	4	Shelf Insert, Triangle-Plastic		170	360	190
376-807-2	5	Retainer, Triangle-Plastic	15			
376-808-1L	6	Shelf Insert, Filler, Left-Plastic		45	90	45
376-808-2R	7	Shelf Insert, Filler, Right-Plastic		45	90	45
376-808-3	8	Retainer, Filler-Plastic	15			



TX750 Bin cups


Part number	Item	Description	Width (W) mm (")	Height (H) mm (")	Depth (D)
376-908-L	9	Fill Left	115 mm (4.53")	94 mm (3.7")	68,6 mm (2.7")
376-908-R	10	Fill Right	115 mm (4.53")	94 mm (3.7")	68,6 mm (2.7")
376-905-E	11	L Rect	132 mm (5.2")	71 mm (2.8")	152,4 mm (6")
376-906-B	12	M Rect	132 mm (5.2")	71 mm (2.8")	78,7 mm (3.1")
376-907	13	S Triang	83,8 mm (3.3")	94 mm (3.7")	51 mm (2")

VX500 M/E




Specifications

- Sturdy steel construction and powder coated
- High-resolution 480 mm (19") Industrial touch-screen
- Power: 100-240 VAC - 50/60 HZ, 5A/2.5A MAX
  UPS battery backup only available in the Americas.
- Optional integrated RFID Reader for VX500 Main
- Integrated customizable Barcode Scanner for VX500 Main



VX500 Main



VX500 Extension


Part number	Description
HVL1-Autocrib-MP00-**	RoboCrib VX 500 Main Unit *
HVL1-Autocrib-EP00-**	RoboCrib VX 500 Extension Unit ***

* A main device may be able to connect and control other vending hardware devices on the market. For more information about compatibility of our hardwares, contact your local Sandvik Coromant representative.

** Complete Part Number varies by market.


*** VX500 Extension is the same unit as VX500 Main without touch screen for a side by side installation and is operated by the main unit.


VX500 M/E accessories



Features

- 24-7 availability with security and accountability
- No repackaging required - save time and money with every restock
- Fastest tetrieval time: access any item in under 10 seconds
- Vend almost any item, type or size - dispense large, small, or delicate items without item dropping!
- Full user access support - supports proximity cards, key fobs, mag-stripe cards, barcodes, keypads/PINs
- Optional: Caster wheels that make it easy to relocate your machines where you want them
- Optional: Additional bin cups can be ordered to facilitate specific storage needs.





VX500 Bin cups

Part number	Item	Caster wheel setup
373-393	1	1/3
373-394	2	1/4
373-396	3	1/6
373-392	4	1/12

Head office:
AB Sandvik Coromant
SE-811 81 Sandviken, Sweden
www.sandvik.coromant.com
E-mail: info.coromant@sandvik.com

C-1040:300 en-GB © AB Sandvik Coromant 2022

SANDVIK
Coromant